Chemical Safety Data Sheet MSDS / SDS

2-Chloroacetophenone

Revision Date: 2025-02-01 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : 2-Chloroacetophenone

CBnumber : CB9387386

CAS : 532-27-4

EINECS Number : 208-531-1

Synonyms : CN,2-chloroacetophenone

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)

Signal word Danger

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P311 Call a POISON CENTER or doctor/physician.

P405 Store locked up.

Hazard statements

H300 Fatal if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H319 Causes serious eye irritation

H331 Toxic if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation

SECTION 3: Composition/information on ingredients

Substance

Product name : 2-Chloroacetophenone
Synonyms : CN,2-chloroacetophenone

CAS : 532-27-4
EC number : 208-531-1
MF : C8H7CIO
MW : 154.59

SECTION 4: First aid measures

Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas


Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

No data available

NFPA 704



Short exposure could cause serious temporary or moderate residual injury (e.g. <u>liquid hydrogen, sulfuric acid, calcium</u>

HEALTH 3

hypochlorite, hexafluorosilicic acid)

Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion

1 can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)

SPEC.

FIRE

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place. Store under inert gas.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Exposure limits

NIOSH REL: TWA 0.3 mg/m³ (0.05 ppm), IDLH 15 mg/m³; OSHA PEL: TWA 0.05 ppm (0.3 mg/m³); ACGIH TLV: TWA 0.05 ppm (adopted).

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Appearance	beige crystalline		
Odour	No data available		
Odour Threshold	No data available		
pH	No data available		
Melting point/freezing point	Melting point/range: 54 - 56 °C		
Initial boiling point and boiling range	244 - 245 °C		
Flash point	118°C		
Evaporation rate	No data available		
Flammability (solid, gas)	No data available		
Upper/lower flammability or explosive	No data available		
limits			
Vapour pressure	0,09 hPa at 50 °C		
Vapour density	No data available		
Relative density	1,324 g/mL at 25 °C		
Water solubility	Soluble in acetone (Weast, 1986). Freely soluble in alcohol, benzene, and ether (Windholz et al.,		
	1983)		
Partition coefficient: n-octanol/water	log Pow: 1,651		
Autoignition temperature	No data available		
Decomposition temperature	No data available		
Viscosity	No data available		
Explosive properties	No data available		
Oxidizing properties	No data available		

Other safety information

SECTION 10: Stability and reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

Incompatible materials

Bases, Amines, Alcohols

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 50 mg/kg

LCLO Inhalation - Human - 20 h - 159 mg/m3 LD50 Intravenous - Rabbit - 30 mg/kg

Remarks: Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Respiratory stimulation. Kidney, Ureter,

Bladder:Other changes.

LD50 Intraperitoneal - Rat - 36 mg/kg

Remarks: Behavioral:Coma. Lungs, Thorax, or Respiration:Other changes. Skin and Appendages: Other: Hair.

LD50 Intraperitoneal - Guinea pig - 17 mg/kg

Remarks: Behavioral:Coma. Lungs, Thorax, or Respiration:Other changes. Skin and Appendages: Other: Hair.

LD50 Intraperitoneal - Mouse - 60 mg/kg LD50 Intravenous - Rat - 41 mg/kg

Remarks: Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Respiratory stimulation. Kidney, Ureter,

Bladder:Other changes.

LD50 Intravenous - Mouse - 81 mg/kg

Remarks: Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Respiratory stimulation. Kidney, Ureter,

Bladder:Other changes.

Skin corrosion/irritation

Skin - Rat

Result: Open irritation test - 6 h

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation Remarks: Severe eye irritation

Respiratory or skin sensitization

May cause sensitization by inhalation and skin contact.

Germ cell mutagenicity

Rat Liver

DNA damage Hamster ovary

Cytogenetic analysis

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: AM6300000

Cough, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Toxicity

LD50 in rats (mg/kg): 41 i.v., 36 i.p., 127 orally; LC50 in rats: 8750 mg/min/m3 (Ballantyne, Swanston)

SECTION 12: Ecological information

Toxicity

Toxicity to fish

LC50 - Lepomis cyanellus - 1,05 mg/l - 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Toxics Screening Level

The initial threshold screening level (ITSL) for 2-chloroacetophenone is $0.6 \mu g/m3$ with annual averaging time. Previously, the ITSL was $0.03 \mu g/m3$ with a 24-hr averaging time.

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle

uncleaned containers like the product itself.

Incompatibilities

Keep away from water, steam, strong oxidizers. Incompatible with oxidizers (chlorates, nitrates, peroxides, permanganates, perchlorates, chlorine, bromine, fluorine, etc.); contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, epoxides. CN reacts slowly with metals, causing mild corrosion and may evolve flammable hydrogen gas.

oxed state, operation. Or treated slowly with metals, seasing time controller and may every manimable rivare

Waste Disposal

Tear gas-containing waste is dissolved in an organic solvent and sprayed into an incinerator equipped with an afterburner and alkaline scrubber utilizing reaction with sodium sulfide in an alcoholwater solution. Hydrogen sulfide is liberated and collected by an alkaline scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

UN number

ADR/RID: 1697 IMDG: 1697 IATA: 1697

UN proper shipping name

ADR/RID: CHLOROACETOPHENONE, SOLID IMDG:

CHLOROACETOPHENONE, SOLID

IATA: Chloroacetophenone, solid Passenger Aircraft: Not

permitted for transport

Transport hazard class(es)

IATA:

	ADR/RID: 6.1 IMDG: 6.1	6.1
14.4	Packaging group ADR/RID: II IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: no IMDG Marine pollutant: no	IATA:
14.6	Special precautions for user No data available	

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZloC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit TWA: Time Weighted Average

References

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Other Information

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort.Rest and medical observation are therefore essential. The odour warning when the exposure limit value is exceeded is insufficient. Do NOT take working clothes home.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.