# Chemical Safety Data Sheet MSDS / SDS

# **Acetylacetone**

Revision Date: 2025-01-11 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Acetylacetone

CBnumber : CB2179401

CAS : 123-54-6

EINECS Number : 204-634-0

Synonyms : acetylacetone,acac

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

# **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

# SECTION 2: Hazards identification

# GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

## Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thouroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P307+P311 IF exposed: call a POISON CENTER or doctor/physician.

P311 Call a POISON CENTER or doctor/physician.

P370+P378 In case of fire: Use ... for extinction.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to.....

#### Hazard statements

H226 Flammable liquid and vapour

H302 Harmful if swallowed

H311 Toxic in contact with skin

H331 Toxic if inhaled

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

H370 Causes damage to organs

H373 May cause damage to organs through prolonged or repeated exposure

H402 Harmful to aquatic life

# SECTION 3: Composition/information on ingredients

## **Substance**

Product name : Acetylacetone

Synonyms : acetylacetone,acac

CAS : 123-54-6
EC number : 204-634-0
MF : C5H8O2
MW : 100.12

# SECTION 4: First aid measures

# Description of first aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

# In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

# Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Risk of dust explosion.

Forms explosive mixtures with air at elevated temperatures.

Development of hazardous combustion gases or vapours possible in the event of fire.

## Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **Further information**

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **NFPA 704**

FIRE



Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> HEALTH 2 <a href="en-exposure">ether</a>, ammonium phosphate, iodine)

Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. Liquids having a flash point below 22.8 °C (73 °F) and having a boiling point at or above 37.8 °C (100 °F) or having a flash point between 22.8 and 37.8 °C (73 and 100 °F). (e.g. gasoline, acetone)

REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)

	SPEC.
	HAZ.

# SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition.

Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

## **Environmental precautions**

Do not let product enter drains. Risk of explosion.

#### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquidabsorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

#### Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

#### Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

 $Immediately\ change\ contaminated\ clothing.\ Apply\ preventive\ skin\ protection.\ Wash\ hands\ and\ face\ after\ working\ with\ substance.$ 

For precautions see section 2.2.

# Conditions for safe storage, including any incompatibilities

# Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

# Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

## control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

# **Exposure controls**

#### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

required

**Body Protection** 

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

# **Exposure limits**

No exposure limit has been set.

# SECTION 9: Physical and chemical properties

# Information on basic physicochemical properties

Appearance	colorless liquid
Odour	ester-like
Odour Threshold	No data available
рН	6 (200g/l, H2O, 20°ℂ)
Melting point/freezing point	Melting point/range: -23 °C - lit.
Initial boiling point and boiling range	140,4 °C - lit.
Flash point	35 °C - closed cup - Regulation (EC) No. 440/2008, Annex, A.9
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive	Upper explosion limit: 11,4 %(V) Lower explosion limit: 1,7 %(V)
limits	
Vapour pressure	7,9 hPa at 20 °C - OECD Test Guideline 104
Vapour density	3.5 (vs air)

Relative density	0,97 at 20 °C - Regulation (EC) No. 440/2008, Annex, A.3
Water solubility	ca.153,8 g/l at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6- completely soluble
Partition coefficient: n-octanol/water	log Pow: ca.0,68 at 40 °C - OECD Test Guideline 117 - Bioaccumulation is not expected.
Autoignition temperature	No data available
Decomposition temperature	Distillable in an undecomposed state at normal pressure.
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: ca.0,76 mPa.s at 20 °Cca.0,63 mPa.s at
	40 °C
Explosive properties	No data available
Oxidizing properties	No data available
•	

# Other safety information

Surface tension 72 mN/m at 1g/l at 20 °C

- Regulation (EC) No. 440/2008, Annex, A.5

# SECTION 10: Stability and reactivity

# Reactivity

Vapor/air-mixtures are explosive at intense warming.

# **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

## Possibility of hazardous reactions

Violent reactions possible with:

Acids Bases Amines Aldehydes anhydrides

Oxidizing agents Hydrogen fluoride Halogenated compounds Cyanides

Isocyanates alkalines bases

Risk of ignition or formation of inflammable gases or vapours with: hydrides

nitrides Alkali metals

# **Conditions to avoid**

Heating.

# Incompatible materials

Mild steel, Zinc, Copper, Nickel, various alloys

# Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

# Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 570 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - 5,0305 mg/l (OECD Test Guideline 403)

Symptoms: mucosal irritations, Cough LD50 Dermal - Rabbit - female - 790 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation Remarks: (ECHA)

Respiratory or skin sensitization

(OECD Test Guideline 429)

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells

Metabolic activation: without metabolic activation Method: OECD Test Guideline 473

Result: positive

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479

Result: positive

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells

 ${\it Metabolic\ activation:\ with\ and\ without\ metabolic\ activation\ Method:\ OECD\ Test\ Guideline\ 476}$ 

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: Micronucleus test Species: Mouse

Cell type: Bone marrow

Application Route: inhalation (vapor) Method: US-EPA

Result: negative

Test Type: comet assay Species: Rat

Cell type: Liver cells Application Route: Oral

Result: negative Remarks: (ECHA)

Carcinogenicity

No data available

Reproductive toxicity

Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity. No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

LC50 (4 hrs) in rats: 1000 ppm (Carpenter)

# **SECTION 12: Ecological information**

#### **Toxicity**

#### Toxicity to fish

flow-through test LC50 - Pimephales promelas (fathead minnow) - 104 mg/l - 96 h

(OECD Test Guideline 203)

#### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 25,9 mg/l - 48 h (OECD Test Guideline 202)

#### Toxicity to algae

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 83,22 mg/l - 72 h

(OECD Test Guideline 201)

#### Toxicity to bacteria

static test EC50 - activated sludge - 107,6 mg/l - 3 h

(OECD Test Guideline 209)

#### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 83 - 100 % - Readily biodegradable. (OECD Test Guideline 301C)

Ratio BOD/ThBOD 5,6 %

Remarks: (Lit.)

# Bioaccumulative potential

No data available

## Mobility in soil

No data available

# Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **Toxics Screening Level**

The Initial Threshold Screening Level (ITSL) for 2,4-pentanedione is 25 µg/m3 with annual averaging time.

#### Other adverse effects

Discharge into the environment must be avoided.

# SECTION 13: Disposal considerations

#### Waste treatment methods

#### Incompatibilities

Vapors may form explosive mixture with air. Incompatible with oxidizers; contact may cause fires or explosions. Keep away from alkaline materials, strong bases, strong acids, oxoacids, epoxides. reducing agents; halogens, aliphatic amines; alkanolamines, organic acids; isocyanates.

#### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **Waste Disposal**

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. All federal, state, and local environmental regulations must be observed.

# **SECTION 14: Transport information**

#### **UN** number

ADR/RID: 2310 IMDG: 2310 IATA: 2310

#### **UN proper shipping name**

ADR/RID: PENTANE-2,4-DIONE IMDG: PENTANE-2,4-DIONE

IATA: Pentane-2,4-dione

4.2	Transport hazard class(es)		
14.3	ADR/RID: 3 (6.1) IMDG: 3 (6.1)	IATA: 3 (6.1)	
14.4	Packaging group		
14.4	ADR/RID: III IMDG: III	IATA: III	
14.5	Environmental hazards		
14.5	ADR/RID: no IMDG Marine pollutant: no	IATA: no	
14.6	Special precautions for user		
14.0	No data available		

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

# Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

# **SECTION 16: Other information**

#### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

#### References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

 $http://www.echemportal.org/echemportal/index?pageID=0\&request\_locale=en$ 

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- [10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.