

## Chemical Safety Data Sheet MSDS / SDS

## Arsenic

Revision Date:2025-02-01 Revision Number:1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## Product identifier

Product name : Arsenic  
CBnumber : CB2761163  
CAS : 7440-38-2  
EINECS Number : 231-148-6  
Synonyms : Arsenic,Arsenic Metal

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

## Company Identification

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

## SECTION 2: Hazards identification

## GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Danger

## Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P304+P340 IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.

P311 Call a POISON CENTER or doctor/physician.

P405 Store locked up.

P501 Dispose of contents/container to....

## Hazard statements

H301 Toxic if swallowed

H331 Toxic if inhaled

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

#### **Disposal**

WARNING.Cancer - <https://oehha.ca.gov/proposition-65/chemicals/arsenic-inorganic-oxides>

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: Arsenic
Synonyms	: Arsenic,Arsenic Metal
CAS	: 7440-38-2
EC number	: 231-148-6
MF	: AsH3
MW	: 77.95

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor

#### **If inhaled**

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

### **Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **Indication of any immediate medical attention and special treatment needed**

No data available

---

## SECTION 5: Firefighting measures

### **Extinguishing media**

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Nature of decomposition products not known. Not combustible.

Ambient fire may liberate hazardous vapours.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### NFPA 704



**HEALTH 3** Short exposure could cause serious temporary or moderate residual injury (e.g. [liquid hydrogen](#), [sulfuric acid](#), [calcium hypochlorite](#), hexafluorosilicic acid)

**FIRE 0** Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. Materials that will not burn in air when exposed to a temperature of 820 °C (1,500 °F) for a period of 5 minutes.(e.g. Carbon tetrachloride)

**REACT 0** Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium,[N2](#))

**SPEC.**

**HAZ.**

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### Environmental precautions

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

#### **Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **control parameter**

#### **Hazard composition and occupational exposure limits**

Does not contain substances with occupational exposure limits.

### **Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatril? L

### Body Protection

protective clothing

### Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

### Control of environmental exposure

Do not let product enter drains.

### Exposure limits

TLV-TWA 0.2 mg(As)/m<sup>3</sup> (ACGIH), 0.5 mg (As)/m<sup>3</sup> (MSHA), 0.01 mg(As)/m<sup>3</sup> (OSHA); ceiling 0.002 mg(As)/m<sup>3</sup>/15 min (NIOSH); carcinogenicity: Human Sufficient Evidence (IARC).

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	gray powder
Odour	No data available
Odour Threshold	No data available
pH	No data available
Melting point/freezing point	Melting point/range: 817 °C - lit.
Initial boiling point and boiling range	613 °C - lit.
Flash point	Not applicable
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Upper/lower flammability or explosive limits	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	5,727 g/mL at 25 °C - lit. 5,6 at 22,4 °C - OECD Test Guideline 109
Water solubility	ca.0,0106 g/l at 20 °C - OECD Test Guideline 105- slightly soluble
Partition coefficient: n-octanol/water	Not applicable for inorganic substances

Autoignition temperature	>430 °C does not ignite
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available
resistivity	33.3 µΩ-cm

### Other safety information

No data available

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Exothermic reaction with:

Aluminum Bromine bromates chlorates iodates Nitric acid

Risk of ignition or formation of inflammable gases or vapours with: nitrates

Alkali metals Zinc

Reducing agents Strong oxidizing agents Risk of explosion with:

potassium permanganate azides

halogen-halogen compounds Peroxides

nitrogen trichloride

### Conditions to avoid

Heat. Exposure to air may affect product quality. no information available

### Incompatible materials

No data available

### Hazardous decomposition products

In the event of fire: see section 5

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

LD50 Oral - Mouse - 145 mg/kg

Remarks: Behavioral:Ataxia.

Diarrhea (RTECS)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 4 h - 0,51 mg/l (Expert judgment)

Acute toxicity estimate Inhalation - 4 h - 0,51 mg/l (Expert judgment)

Dermal

#### **Skin corrosion/irritation**

Skin - In vitro study

Result: Irritating to skin. - 15 min Remarks: (ECHA)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes serious eye damage. - 24 h (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Test Type: Ames test

Test system: Escherichia coli Result: negative

Remarks: (ECHA)

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure**

No data available

#### **Specific target organ toxicity - repeated exposure**

No data available

#### **Aspiration hazard**

No data available

#### **Toxicity**

Human exposure occurs occupationally and via food, tobacco smoke, ambient air, and water. Three major groups of arsenic compounds have been defined on the basis of biological considerations: inorganic arsenicals; organic arsenicals; and arsine (gas). The comparative toxicity of these groups is dependent upon the route of exposure and their solubilities; the more quickly absorbed compounds have lower LD50. Arsenic is readily absorbed by the respiratory and gastrointestinal systems and is concentrated in the skin, hair, and nails (Aldrich-Mees' lines). The cellular toxicity of arsenic is related to reactions with SH-containing mitochondrial enzymes that result in impaired respiration. Arsenic may also compete with phosphate during oxidative phosphorylation.

---

## SECTION 12: Ecological information

### **Toxicity**

#### **Toxicity to fish**

static test LC50 - Oreochromis mossambicus (Mozambique tilapia) - 28,68 mg/l - 96 h

Remarks: (ECHA)

**Toxicity to daphnia and other aquatic invertebrates**

static test EC50 - *Bosmina longirostris* (water flea) - 0,85 mg/l - 48 h

Remarks: (ECHA)

**Toxicity to algae**

static test NOEC - *Macrocystis pyrifera* (brown algae) - 0,04 mg/l - 42 h

Remarks: (ECHA)

**Toxicity to bacteria**

static test EC50 - activated sludge - 10,6 mg/l - 10 Days Remarks: (ECHA)

**Persistence and degradability**

The methods for determining biodegradability are not applicable to inorganic substances.

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Results of PBT and vPvB assessment**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Toxics Screening Level**

The initial risk screening level (IRSL) for arsenic and inorganic arsenic compounds is 0.0002 µg/m<sup>3</sup> (annual averaging time).

**Other adverse effects**

No data available

---

## SECTION 13: Disposal considerations

**Waste treatment methods****Incompatibilities**

Incompatible with strong acids; strong oxidizers; peroxides, bromine azide, bromine pentafluoride, bromine trifluoride; cesium acetylene carbide, chromium trioxide; nitrogen trichloride, silver nitrate. Can react vigorously with strong oxidizers (chlorine, dichromate, permanganate).

**Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

**Waste Disposal**

Elemental arsenic wastes should be placed in long-term storage or returned to suppliers or manufacturers for reprocessing. Arsenic pentaselenide-wastes should be placed in long-term storage or returned to suppliers or manufacturers for reprocessing.



---

## SECTION 14: Transport information

### UN number

ADR/RID: 1558 IMDG: 1558

### UN proper shipping name

ADR/RID: ARSENIC IMDG: ARSENIC IATA: Arsenic

### Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

### Packaging group

ADR/RID: II IMDG: II IATA: II

### Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

### Special precautions for user

No data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015: Listed. website: <https://www.mem.gov.cn/>

#### Measures for Environmental Management of New Chemical Substances

Korea Existing Chemicals List (KECL): Listed. website: <http://ncis.nier.go.kr>

European Inventory of Existing Commercial Chemical Substances (EINECS): Listed. website: <https://echa.europa.eu/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed. website: <https://emb.gov.ph/>

EC Inventory: Listed.

New Zealand Inventory of Chemicals (NZIoC): Listed. website: <https://www.epa.govt.nz/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC): Listed. website: <https://www.mee.gov.cn/>

United States Toxic Substances Control Act (TSCA) Inventory: Listed. website: <https://www.epa.gov/>

Vietnam National Chemical Inventory: Listed. website: <https://chemicaldata.gov.vn/>

---

## SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods  
IATA: International Air Transportation Association  
TWA: Time Weighted Average  
STEL: Short term exposure limit  
LC50: Lethal Concentration 50%  
LD50: Lethal Dose 50%  
EC50: Effective Concentration 50%

## References

- 【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- 【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- 【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>
- 【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:  
[http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- 【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- 【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- 【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- 【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- 【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- 【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

## Other Information

The substance is combustible but no flash point is available in literature. Depending on the degree of exposure, periodic medical examination is suggested. Do NOT take working clothes home.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.