# Chemical Safety Data Sheet MSDS / SDS

# Hydroxylamine hydrochloride

Revision Date: 2025-02-01 Revision Number: 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product name : Hydroxylamine hydrochloride

CBnumber : CB8128885

CAS : 5470-11-1

EINECS Number : 226-798-2

Synonyms : HYDROXYLAMINE HYDROCHLORIDE, Hydroxylamine HCL

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

### **Company Identification**

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

### SECTION 2: Hazards identification

### GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Warning

### Precautionary statements

P406 Store in corrosive resistant/... container with a resistant inner liner.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

### Hazard statements

H400 Very toxic to aquatic life

H373 May cause damage to organs through prolonged or repeated exposure

H351 Suspected of causing cancer

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H315 Causes skin irritation

H312 Harmful in contact with skin

H302 Harmful if swallowed

H290 May be corrosive to metals

# SECTION 3: Composition/information on ingredients

### **Substance**

Product name : Hydroxylamine hydrochloride

Synonyms : HYDROXYLAMINE HYDROCHLORIDE, Hydroxylamine HCL

CAS : 5470-11-1

EC number : 226-798-2

MF : NH2OH·HCI

MW : 69.49

### SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Hydrogen chloride gas Nitrogen oxides (NOx) Hydrogen chloride gas

Container explosion may occur under fire conditions. Not combustible.

Risk of dust explosion.

In the event of decomposition: danger of explosion! Avoid shock and friction.

Ambient fire may liberate hazardous vapours.


### Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **Further information**

May explode when heated. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **NFPA 704**



### SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **Environmental precautions**

Do not let product enter drains.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

### Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed and away from sources of ignition and heat. Observe national regulations. Air and moisture sensitive.

### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

### control parameter

### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

### **Exposure controls**

### Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory

practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

**Body Protection** 

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

# SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	white crystalline
Odour	slight chlorine
Odour Threshold	No data available d) pH 2,5 - 3,5 at 50 g/l at 20 °C Melting point/freezing point Initial boiling point and
	boiling range Melting point/range: 155 - 157 °C - dec. No data available Flash point No data
	available Evaporation rate No data available Flammability (solid, gas) Upper/lower flammability or
	explosive limits The product is not flammable Flammability (solids) No data available Vapour
	pressure 0,001 hPa at 50 °C - OECD Test Guideline 104 Vapour density No data available Relative
	density No data available Water solubility ca.470 g/l at 20 °C - OECD Test Guideline 105 Partition
	coefficient: n-octanol/water Autoignition temperature Decomposition temperature - Not applicable for
	inorganic substances No data available >150 °C - Heating may cause an explosion. Viscosity
	Viscosity, kinematic: No data available Viscosity, dynamic: No data available Explosive properties No
	data available Oxidizing properties No data available
Melting point/freezing point	Melting point/range: 155 - 157 °C - dec.

Initial boiling point and boiling range	155-157 °C (dec.)(lit.)
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable Flammability (solids)
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	0,001 hPa at 50 °C - OECD Test Guideline 104
Vapour density	0.054 Pa (50 °C)
Relative density	No data available
Water solubility	ca.470 g/l at 20 °C - OECD Test Guideline 105
Partition coefficient: n-octanol/water	- Not applicable for inorganic substances
Autoignition temperature	No data available
Decomposition temperature	>150 °C - Heating may cause an explosion.
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available
-	

### Other safety information

Surface tension ca.71,8 mN/m at 1,025g/l at 20  $^{\circ}\text{C}$ 

- OECD Test Guideline 115

# SECTION 10: Stability and reactivity

### Reactivity

sensitive to shock Risk of dust explosion.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Violent reactions possible with:

alkaline substances Possible formation of:

hydroxylamine

Risk of explosion with:

fire-promoting substances Oxidizing agents

### Conditions to avoid

Air Exposure to moisture. May be unstable at temperatures above: 75° C Heating (decomposition).

# no information available

Incompatible materials

Aluminum, Copper, Zinc, Tin, Metals

### Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 642 mg/kg (OECD Test Guideline 401)

Inhalation

Skin corrosion/irritation

Skin - In vitro study

Result: Irritating to skin. - 42 min

(OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - In vitro study Result: Eye irritation - 6 h

Respiratory or skin sensitization

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: S. typhimurium

Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation Result: negative

Remarks: (ECHA) Test Type: Rat

Test system: Embryo

Remarks: Morphological transformation. Test Type: Hamster

Test system: Lungs

Remarks: Sister chromatid exchange

Test Type: Mutagenicity (mammal cell test): micronucleus. Species: Mouse

Cell type: Red blood cells (erythrocytes) Application Route: Oral

Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Ingestion - May cause damage to organs through prolonged or repeated exposure. - spleen

Aspiration hazard

No data available

#### **Toxicity**

LD50 orally in mice: 408 mg/kg (Riemann)

# **SECTION 12: Ecological information**

### **Toxicity**

### Toxicity to fish

semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 1,78 mg/l - 96 h

(OECD Test Guideline 203)

### Toxicity to daphnia and other aquatic invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - 1,1 mg/l - 48 h

(OECD Test Guideline 202)

### Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata - 0,21 mg/l - 72 h (OECD Test Guideline 201)

### Toxicity to bacteria

static test EC10 - activated sludge - 1,7 mg/l - 3 h (OECD Test Guideline 209)

### Persistence and degradability

Not applicable for inorganic substances

### **Bioaccumulative potential**

No data available

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

No data available

# SECTION 13: Disposal considerations

### Waste treatment methods

### **Product**

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

#### **UN** number

ADR/RID: 2923 IMDG: 2923 IATA: 2923

### UN proper shipping name

 $ADR/RID: CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ CORROSIVE \ SOLID, \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ IMDG: \ TOXIC, \ N.O.S. \ (Hydroxylammonium \ chloride) \ (Hydroxy$ 

chloride) IATA: Corrosive solid, toxic, n.o.s. (Hydroxylammonium chloride)

### Transport hazard class(es)

ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA: 8 (6.1)

### **Packaging group**

ADR/RID: III IMDG: III IATA: III

#### **Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

### Special precautions for user

No data available

## **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

### Measures for Environmental Management of New Chemical Substances

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

EC Inventory:Listed.

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

### SECTION 16: Other information

### Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- 【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

#### Other Information

Some references give a melting point (under decomposition) of 151-152°C, while one of them contains a warning for explosion on heating above 115°C. Depending on the degree of exposure, periodic medical examination is suggested. Specific treatment is necessary in case of poisoning with this substance; the appropriate means with instructions must be available.

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.