

## Chemical Safety Data Sheet MSDS / SDS

**MAGNESIUM SILICIDE**

Revision Date:2024-12-21 Revision Number:1

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : MAGNESIUM SILICIDE  
CBnumber : CB3115750  
CAS : 22831-39-6  
EINECS Number : 245-254-5  
Synonyms : MAGNESIUM SILICIDE

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Substances and mixtures, which in contact with water, emit flammable gases, Category 2

**Label elements****Pictogram(s)**

□

Signal word : Danger

**Hazard statement(s)**

H261 In contact with water releases flammable gas

**Precautionary statement(s)**

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P231+P232 Handle under inert gas. Protect from moisture.

P422 Store contents under ...

P402+P404 Store in a dry place. Store in a closed container.

**Prevention**

P223 Do not allow contact with water.

P231+P232 Handle and store contents under inert gas/...Protect from moisture.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

#### **Response**

P302+P335+P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water [or wrap in wet bandages].

P370+P378 In case of fire: Use ... to extinguish.

#### **Storage**

P402+P404 Store in a dry place. Store in a closed container.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: MAGNESIUM SILICIDE
Synonyms	: MAGNESIUM SILICIDE
CAS	: 22831-39-6
EC number	: 245-254-5
MF	: Mg <sub>2</sub> Si
MW	: 76.7

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **If inhaled**

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately.

Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### **Following skin contact**

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### **Following eye contact**

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### **Following ingestion**

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### **Most important symptoms and effects, both acute and delayed**

Excerpt from ERG Guide 138 [Substances - Water-Reactive (Emitting Flammable Gases)]: Inhalation or contact with vapors, substance or decomposition products may cause severe injury or death. May produce corrosive solutions on contact with water. Fire will produce irritating, corrosive and/or toxic gases. Runoff from fire control may cause pollution. (ERG, 2016)

## Indication of any immediate medical attention and special treatment needed

no data available

## SECTION 5: Firefighting measures

### Extinguishing media

Excerpt from ERG Guide 138 [Substances - Water-Reactive (Emitting Flammable Gases)]: DO NOT USE WATER OR FOAM. SMALL FIRE: Dry chemical, soda ash, lime or sand. LARGE FIRE: DRY sand, dry chemical, soda ash or lime or withdraw from area and let fire burn. Move containers from fire area if you can do it without risk. FIRE INVOLVING METALS OR POWDERS (ALUMINUM, LITHIUM, MAGNESIUM, ETC.): Use dry chemical, DRY sand, sodium chloride powder, graphite powder or Met-L-X? powder; in addition, for Lithium you may use Lith-X? powder or copper powder. Also, see ERG Guide 170. FIRE INVOLVING TANKS OR CAR/TRAILER LOADS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Do not get water inside containers. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. (ERG, 2016)


### Specific Hazards Arising from the Chemical

Excerpt from ERG Guide 138 [Substances - Water-Reactive (Emitting Flammable Gases)]: Produce flammable gases on contact with water. May ignite on contact with water or moist air. Some react vigorously or explosively on contact with water. May be ignited by heat, sparks or flames. May re-ignite after fire is extinguished. Some are transported in highly flammable liquids. Runoff may create fire or explosion hazard. (ERG, 2016)

### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### NFPA 704



■ HEALTH	0	Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible materials
■ FIRE	2	Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, <a href="#">sulfur</a> )
■ REACT	2	Undergoes violent chemical change at elevated temperatures and pressures, reacts violently with water, or may form explosive mixtures with water (e.g. white phosphorus, <a href="#">potassium</a> , <a href="#">sodium</a> )
□ SPEC. HAZ.	W	

---

## SECTION 6: Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### **Methods and materials for containment and cleaning up**

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

---

## SECTION 7: Handling and storage

### **Precautions for safe handling**

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### **Conditions for safe storage, including any incompatibilities**

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

---

## SECTION 8: Exposure controls/personal protection

### **Control parameters**

#### **Occupational Exposure limit values**

no data available

#### **Biological limit values**

no data available

### **Exposure controls**

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

### **Individual protection measures**

#### **Eye/face protection**

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### **Skin protection**

Wear fire/flammable resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The

selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Powder
Colour	Blue
Odour	no data available
Melting point/freezing point	1102°C
Boiling point or initial boiling point and boiling range	no data available
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	no data available
Solubility	no data available
Partition coefficient n-octanol/water	no data available
Vapour pressure	no data available
Density and/or relative density	2.
Relative vapour density	2.
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### Reactivity

Contact with moisture under acidic condition generates silanes that ignite in air. Insoluble in water.

### Chemical stability

no data available

### Possibility of hazardous reactions

MAGNESIUM SILICIDE is a reducing agent. May react vigorously with oxidizing materials.

### Conditions to avoid

no data available

#### **Incompatible materials**

no data available

#### **Hazardous decomposition products**

no data available

---

## SECTION 11: Toxicological information

#### **Acute toxicity**

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

#### **Skin corrosion/irritation**

no data available

#### **Serious eye damage/irritation**

no data available

#### **Respiratory or skin sensitization**

no data available

#### **Germ cell mutagenicity**

no data available

#### **Carcinogenicity**

no data available

#### **Reproductive toxicity**

no data available

#### **STOT-single exposure**

no data available

#### **STOT-repeated exposure**

no data available

#### **Aspiration hazard**

no data available

---

## SECTION 12: Ecological information

## **Toxicity**

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

## **Persistence and degradability**

no data available

## **Bioaccumulative potential**

no data available

## **Mobility in soil**

no data available

## **Other adverse effects**

no data available

---

## SECTION 13: Disposal considerations

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---

## SECTION 14: Transport information

### **UN Number**

ADR/RID: UN2624 (For reference only, please check.)

IMDG: UN2624 (For reference only, please check.)

IATA: UN2624 (For reference only, please check.)

### **UN Proper Shipping Name**

ADR/RID: MAGNESIUM SILICIDE (For reference only, please check.)

IMDG: MAGNESIUM SILICIDE (For reference only, please check.)

IATA: MAGNESIUM SILICIDE (For reference only, please check.)

### **Transport hazard class(es)**

ADR/RID: 4.3 (For reference only, please check.)

IMDG: 4.3 (For reference only, please check.)

IATA: 4.3 (For reference only, please check.)

### **Packing group, if applicable**

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

### **Environmental hazards**

ADR/RID: No

IMDG: No

IATA: No

### **Special precautions for user**

no data available

### **Transport in bulk according to IMO instruments**

no data available

---

## SECTION 15: Regulatory information

### **Safety, health and environmental regulations specific for the product in question**

#### **European Inventory of Existing Commercial Chemical Substances (EINECS)**

Listed.

#### **EC Inventory**

Listed.

#### **United States Toxic Substances Control Act (TSCA) Inventory**

Listed.

#### **China Catalog of Hazardous chemicals 2015**

Listed.

#### **New Zealand Inventory of Chemicals (NZIoC)**

Not Listed.

#### **PICCS**

Not Listed.

#### **Vietnam National Chemical Inventory**

Not Listed.

#### **IECSC**

Listed.

#### **Korea Existing Chemicals List (KECL)**

Listed.

---

## SECTION 16: Other information



## Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

## References

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.