

## Chemical Safety Data Sheet MSDS / SDS

**N,N-Dimethylbenzylamine**Revision Date:2025-02-01 Revision Number:1

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****Product identifier**

Product name : N,N-Dimethylbenzylamine  
CBnumber : CB8240778  
CAS : 103-83-3  
EINECS Number : 203-149-1  
Synonyms : BDMA,N,N-Dimethylbenzylamine

**Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.  
Uses advised against : none

**Company Identification**

Company : Chemicalbook  
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing  
Telephone : 400-158-6606

---

**SECTION 2: Hazards identification****Classification of the substance or mixture**

Flammable liquids, Category 3  
Acute toxicity - Category 4, Oral  
Acute toxicity - Category 4, Dermal  
Skin corrosion, Sub-category 1B  
Acute toxicity - Category 4, Inhalation  
Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 3

**Label elements****Pictogram(s)**

□□□□

Signal word : Danger

**Hazard statement(s)**

H226 Flammable liquid and vapour  
H301 Toxic if swallowed  
H302 Harmful if swallowed

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H332 Harmful if inhaled

H412 Harmful to aquatic life with long lasting effects

#### **Precautionary statement(s)**

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P370+P378 In case of fire: Use ... for extinction.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to.....

#### **Prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P264 Wash ... thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

#### **Response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].

P370+P378 In case of fire: Use ... to extinguish.

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P317 Get medical help.

P321 Specific treatment (see ... on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P316 Get emergency medical help immediately.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### **Storage**

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

#### **Disposal**

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### **Other hazards**

no data available

---

## SECTION 3: Composition/information on ingredients

### **Substance**

Product name	: N,N-Dimethylbenzylamine
Synonyms	: BDMA,N,N-Dimethylbenzylamine
CAS	: 103-83-3
EC number	: 203-149-1
MF	: C9H13N
MW	: 135.21

---

## SECTION 4: First aid measures

### **Description of first aid measures**

#### **If inhaled**

Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention.

#### **Following skin contact**

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

#### **Following eye contact**

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

#### **Following ingestion**

Rinse mouth. Do NOT induce vomiting. Refer for medical attention .

## Most important symptoms and effects, both acute and delayed

Inhalation may be fatal as a result of spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. (USCG, 1999)

## Indication of any immediate medical attention and special treatment needed

no data available

---

## SECTION 5: Firefighting measures

### Extinguishing media

Excerpt from ERG Guide 132 [Flammable Liquids - Corrosive]: Some of these materials may react violently with water. SMALL FIRE: Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam. LARGE FIRE: Water spray, fog or alcohol-resistant foam. Move containers from fire area if you can do it without risk. Dike fire-control water for later disposal; do not scatter the material. Do not get water inside containers. FIRE INVOLVING TANKS OR CAR/TRAILER LOADS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with flooding quantities of water until well after fire is out. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. ALWAYS stay away from tanks engulfed in fire. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn. (ERG, 2016)


### Specific Hazards Arising from the Chemical

Special Hazards of Combustion Products: Toxic vapors are generated when heated. (USCG, 1999)

### Advice for firefighters

Use water spray, powder, alcohol-resistant foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

### NFPA 704



■ HEALTH

Must be moderately heated or exposed to relatively high ambient temperature before ignition can occur and multiple finely

■ FIRE 2 divided suspended solids that do not require heating before ignition can occur. Flash point between 37.8 and 93.3 °C (100 and 200 °F). (e.g. diesel fuel, [sulfur](#))

■ REACT 0 Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, [N<sub>2</sub>](#))

□ SPEC.

□ HAZ.

---

## SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Personal protection: complete protective clothing including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Cautiously neutralize remainder. Then wash away with plenty of water.

## Environmental precautions

Personal protection: complete protective clothing including self-contained breathing apparatus. Do NOT let this chemical enter the environment. Collect leaking and spilled liquid in sealable containers as far as possible. Cautiously neutralize remainder. Then wash away with plenty of water.

## Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

---

## SECTION 7: Handling and storage

### Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 57°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

### Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants, strong acids and food and feedstuffs.

---

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### Occupational Exposure limit values

<b>Component</b>	Benzyltrimethylamine			
<b>CAS No.</b>	103-83-3			
	<b>Limit value - Eight hours</b>		<b>Limit value - Short term</b>	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
<b>Latvia</b>	?	5	?	?
	<b>Remarks</b>			

#### Biological limit values

no data available

### Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-

elimination area.

## Individual protection measures

### Eye/face protection

Wear face shield.

### Skin protection

Protective gloves. Protective clothing.

### Respiratory protection

Use ventilation, local exhaust or breathing protection.

### Thermal hazards

no data available

---

## SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Physical state	Liquid
Colour	Clear colorless to light yellow
Odour	no data available
Melting point/freezing point	-75 °C.
Boiling point or initial boiling point and boiling range	180 °C.
Flammability	Flammable. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	0.9-6.3%(V)
Flash point	57 °C. Atm. press.:1 013 hPa.
Auto-ignition temperature	250 °C. Atm. press.:1 004 hPa.
Decomposition temperature	no data available
pH	10 (10g/l, H <sub>2</sub> O, 20°C)(saturated solution)
Kinematic viscosity	Pa s (dynamic) = 0.026. Temperature:20°C.;Pa s (dynamic) = 0.003. Temperature:40°C.
Solubility	water: soluble
Partition coefficient n-octanol/water	log Pow = 1.98.
Vapour pressure	2.4 hPa (20 °C)
Density and/or relative density	0.9.
Relative vapour density	no data available
Particle characteristics	no data available

---

## SECTION 10: Stability and reactivity

### Reactivity

Decomposes on burning. This produces toxic fumes including nitrogen oxides. Reacts with acids. Reacts violently with strong oxidants.

### Chemical stability

no data available

### **Possibility of hazardous reactions**

BENZYLDIMETHYLAMINE neutralizes acids on exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen is generated by amines in combination with strong reducing agents, such as hydrides. May attack some plastics (USCG, 1999).

### **Conditions to avoid**

no data available

### **Incompatible materials**

no data available

### **Hazardous decomposition products**

no data available

---

## **SECTION 11: Toxicological information**

### **Acute toxicity**

- Oral: LD50 - rat (male) - 0.65 mL/kg bw. Remarks:(approx. 579 mg/kg bw) Signs of toxicity within a few min after dosing. tremor and salivation; deaths occurred within 10 to 90 min after dosing; necropsy: Dead rats: congestion in stomach and intestines, hemorrhages in stomach, Survivors: no findings.
- Inhalation: LC50 - rat (male/female) - ca. 2 052 mg/m<sup>3</sup> air.
- Dermal: LD50 - rabbit (male) - 1.66 mL/kg bw.

### **Skin corrosion/irritation**

no data available

### **Serious eye damage/irritation**

no data available

### **Respiratory or skin sensitization**

no data available

### **Germ cell mutagenicity**

no data available

### **Carcinogenicity**

no data available

### **Reproductive toxicity**

no data available

### **STOT-single exposure**

The substance is corrosive to the eyes, skin and respiratory tract. Inhalation of the vapour may cause lung oedema. See Notes. The effects may be delayed. Medical observation is indicated.

### **STOT-repeated exposure**

no data available

### **Aspiration hazard**

No indication can be given about the rate at which a harmful concentration of this substance in the air is reached on evaporation at 20°C.

---

## **SECTION 12: Ecological information**

### **Toxicity**

Toxicity to fish: LC50 - Pimephales promelas - 37.8 mg/L - 96 h.

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna - > 100 mg/L - 48 h.

Toxicity to algae: EC50 - Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) - 1.34 mg/L - 72 h.

Toxicity to microorganisms: EC10 - Pseudomonas putida - 534 mg/L - 17 h.

### **Persistence and degradability**

no data available

### **Bioaccumulative potential**

no data available

### **Mobility in soil**

no data available

### **Toxics Screening Level**

The ITSL for Benzyl Dimethylamine is 30 µg/m<sup>3</sup> based on annual averaging time.

### **Other adverse effects**

no data available

---

## **SECTION 13: Disposal considerations**

### **Disposal methods**

#### **Product**

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### **Contaminated packaging**

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

---



## SECTION 14: Transport information

### UN Number

ADR/RID: UN2619 (For reference only, please check.)

IMDG: UN2619 (For reference only, please check.)

IATA: UN2619 (For reference only, please check.)

### UN Proper Shipping Name

ADR/RID: BENZYLDIMETHYLAMINE (For reference only, please check.)

IMDG: BENZYLDIMETHYLAMINE (For reference only, please check.)

IATA: BENZYLDIMETHYLAMINE (For reference only, please check.)

### Transport hazard class(es)

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

### Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

### Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

### Special precautions for user

no data available

### Transport in bulk according to IMO instruments

no data available

---

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

#### EC Inventory

Listed.

#### United States Toxic Substances Control Act (TSCA) Inventory

Listed.

#### China Catalog of Hazardous chemicals 2015

Listed.

#### **New Zealand Inventory of Chemicals (NZIoC)**

Listed.

#### **PICCS**

Listed.

#### **Vietnam National Chemical Inventory**

Listed.

#### **IECSC**

Listed.

#### **Korea Existing Chemicals List (KECL)**

Listed.

---

## SECTION 16: Other information

### **Abbreviations and acronyms**

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

### **References**

IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)

CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

### **Other Information**

The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation is therefore essential. Immediate administration of an appropriate spray, by a doctor or a person authorized by him/her, should be considered.

**Disclaimer:**

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.