Chemical Safety Data Sheet MSDS / SDS

Triethylene glycol dimethyl ether

Revision Date: 2025-02-01 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : Triethylene glycol dimethyl ether

CBnumber : CB6326946

CAS : 112-49-2

EINECS Number : 203-977-3

Synonyms : triglyme,triethylene glycol dimethyl ether

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 400-158-6606

SECTION 2: Hazards identification

GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word Danger

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P337+P313 IF eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to.....

Hazard statements

SECTION 3: Composition/information on ingredients

Substance

Product name : Triethylene glycol dimethyl ether

Synonyms: triglyme,triethylene glycol dimethyl ether

CAS : 112-49-2
EC number : 203-977-3
MF : C8H18O4
MW : 178.23

SECTION 4: First aid measures

Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Advice for firefighters


Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

NFPA 704

HAZ.



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquidabsorbent material (e.g.

Chemizorb?). Dispose of properly. Clean up affected area.

Reference to other sections

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Hygroscopic. Handle and store under inert gas. Test for peroxide formation periodically and before distillation.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject? (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved

gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Viton?

Minimum layer thickness: 0,7 mm Break through time: 120 min Material tested:Vitoject? (KCL 890 / Aldrich Z677698, Size M)

Body Protection protective clothing

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Odour Threshold No data available pH No data available Melting point/freezing point Melting point/range: -45 °C - lit. Mittal boiling point and boiling range 216 °C - lit. Flash point 113 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive 0.7%(V) Ilmits Vapour pressure 0.027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6.15 - (Air = 1.0) Relative density 0.986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available Oxidizing properties No data available	Appearance	colorless clear, liquid
pH No data available Melting point/freezing point Melting point/range: -45 °C - lit. Initial boiling point and boiling range 216 °C - lit. Flash point 113 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive 0.7%(V) limits Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Odour	ether-like
Melting point/freezing point Melting point/range: -45 °C - lit. Flash point 113 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive Ilimits Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1,000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Odour Threshold	No data available
Initial boiling point and boiling range 216 °C - lit. Flash point 113 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive 0.7%(V) limits Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	рН	No data available
Flash point 113 °C - closed cup Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive 0.7%(V) limits Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Melting point/freezing point	Melting point/range: -45 °C - lit.
Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower flammability or explosive 0.7%(V) limits Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Initial boiling point and boiling range	216 °C - lit.
Flammability (solid, gas) No data available Upper/lower flammability or explosive 0.7%(V) limits Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Flash point	113 °C - closed cup
Upper/lower flammability or explosive limits Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Evaporation rate	No data available
Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Flammability (solid, gas)	No data available
Vapour pressure 0,027 hPa at 20 °C - OECD Test Guideline 104 Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Upper/lower flammability or explosive	0.7%(V)
Vapour density 6,15 - (Air = 1.0) Relative density 0,986 g/cm3 at 25 °C - lit. No data available Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	limits	
Relative density 0,986 g/cm3 at 25 °C - lit. No data available 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Vapour pressure	0,027 hPa at 20 °C - OECD Test Guideline 104
Water solubility 1.000 g/l at 20 °C - OECD Test Guideline 105 Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Vapour density	6,15 - (Air = 1.0)
Partition coefficient: n-octanol/water log Pow: -0,52 at 23 °C - OECD Test Guideline 107 Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Relative density	0,986 g/cm3 at 25 °C - lit. No data available
Autoignition temperature 190 °C at 990 hPa Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Water solubility	1.000 g/l at 20 °C - OECD Test Guideline 105
Decomposition temperature No data available Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Partition coefficient: n-octanol/water	log Pow: -0,52 at 23 °C - OECD Test Guideline 107
Viscosity Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available Explosive properties No data available	Autoignition temperature	190 °C at 990 hPa
Explosive properties No data available	Decomposition temperature	No data available
	Viscosity	Viscosity, kinematic: 2,21 mm2/s at 20 °C Viscosity, dynamic: No data available
Oxidizing properties No data available	Explosive properties	No data available

Other safety information

Surface tension 63,1 mN/m at 23 °C

SECTION 10: Stability and reactivity

Reactivity

Forms explosive mixtures with air on intense heating. Formation of peroxides possible. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

Conditions to avoid

Strong heating. Moisture.

Incompatible materials

No data available

Hazardous decomposition products

Peroxides

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 5.390 mg/kg (OECD Test Guideline 401)

Inhalation

LD50 Dermal - Rat - male - > 6.900 mg/kg (OECD Test Guideline 402)

TDLo Intraperitoneal - Rat - 4.456 mg/kg

Remarks: Biochemical:Enzyme inhibition, induction, or change in blood or tissue levels: Other oxidoreductases.

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: reverse mutation assay Test system: S. typhimurium

Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Toxicity

LD50 orally in Rabbit: 5390 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to fish

static test LC50 - Danio rerio (zebra fish) - > 5.000 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 5.000 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae

static test EC50 - Pseudokirchneriella subcapitata - > 6.000 mg/l - 72 h

(OECD Test Guideline 201)

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: - IMDG: - IATA: -

UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

Packaging group

ADR/RID: - IMDG: - IATA: -

Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015:Not Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

EC Inventory:Listed.

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

[1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

[2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

[3] ECHA - European Chemicals Agency, website: https://echa.europa.eu/

[4] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [9] IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- 【10】 Sigma-Aldrich, website: https://www.sigmaaldrich.com/

Other Information

Check for peroxides prior to distillation; eliminate if found.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.